
Bio2BEL ADEPTUS Documentation

Release 0.0.1

Charles Tapley Hoyt

Nov 20, 2018

Contents

1	bio2bel_adeptus	3
1.1	bel	3
	Python Module Index	5

Bio2BEL ADEPTUS.

Manager for Bio2BEL ADEPTUS.

class `bio2bel_adeptus.manager.Manager` (*args, **kwargs)

Manages the Bio2BEL ADEPTUS database.

is_populated ()

Check if the Bio2BEL ADEPTUS database is populated.

Return type `bool`

populate ()

Populate the Bio2BEL ADEPTUS database.

Return type `None`

summarize ()

Summarize the contents of the Bio2BEL ADEPTUS database.

Return type `Mapping[str, int]`

to_bel ()

Output ADEPTUS as a BEL graph.

Return type `BELGraph`

SQLAlchemy models for Bio2BEL ADEPTUS.

class `bio2bel_adeptus.models.Base` (**kwargs)

The most base type

CHAPTER 1

bio2bel_adeptus

Default connection at
using Bio2BEL v0.2.0

```
bio2bel_adeptus [OPTIONS] COMMAND [ARGS]...
```

Options

-c, --connection <connection>
Defaults to

1.1 bel

Manage BEL.

```
bio2bel_adeptus bel [OPTIONS] COMMAND [ARGS]...
```

1.1.1 upload

Upload BEL to network store.

```
bio2bel_adeptus bel upload [OPTIONS]
```

Options

-c, --connection <connection>

1.1.2 write

Write as BEL Script.

```
bio2bel_adeptus bel write [OPTIONS]
```

Options

-o, --output <output>

b

bio2bel_adeptus, ??
bio2bel_adeptus.manager, 1
bio2bel_adeptus.models, 1

Symbols

-c, -connection <connection>
 bio2bel_adeptus command line
 option, 3
 bio2bel_adeptus-bel-upload command
 line option, 3
-o, -output <output>
 bio2bel_adeptus-bel-write command
 line option, 4

B

Base (*class in bio2bel_adeptus.models*), 1
bio2bel_adeptus (*module*), 1
bio2bel_adeptus command line option
 -c, -connection <connection>, 3
bio2bel_adeptus-bel-upload command
 line option
 -c, -connection <connection>, 3
bio2bel_adeptus-bel-write command line
 option
 -o, -output <output>, 4
bio2bel_adeptus.manager (*module*), 1
bio2bel_adeptus.models (*module*), 1

I

is_populated() (*bio2bel_adeptus.manager.Manager*
 method), 1

M

Manager (*class in bio2bel_adeptus.manager*), 1

P

populate() (*bio2bel_adeptus.manager.Manager*
 method), 1

S

summarize() (*bio2bel_adeptus.manager.Manager*
 method), 1

T

to_bel() (*bio2bel_adeptus.manager.Manager*
 method), 1